

# **SolarRoof**

PVezRack® SolarRoof™ Aeri Rail Solution has been developed for both residential and commercial PV installations on tin and tile roofs. Thanks to our Interfaces, Rails and Clamps with unique sectional property, PVezRack® SolarRoof™ Aeri Rail Solution could offer robust structure and long lifecycle. Available with penetrative and non-penetrative solution on a large variety of roof types.

## **Main Benefits**

### Reduced installation period

The innovative Aeri Omega Module provides an easy and safe installation method, which can be clicked into the rail at any given point.

### Flexible layout

The talented Klip-lok design makes the same components could compatible with Portrait and Landscape layouts by simply rotating the rail clamp.

## Versatile application

PVezRack® SolarRoof Aeri Rail Solution could be used for all common tin and tile roof types with a full set Klip-lok family, roof hook and universal tin interface.

# **Technical Details**


Module Orientation	Landscape or Portrait
Module Type	Framed   Frameless
Wind Load	Customised
Roof Type	Tin and Tile Roof
Tilt Angle	0°, parallel to roof surface
Material	Main Structure: AL6005-T5 Fasteners: SUS 304 Roof Hook: SUS 304
Standard	GB50797   AS NZS1170.2   EN1991   JISC8955  ASCE 7-10   SANS 10160
Warranty	12 Years




Solar Mounting Solutions - SolarRoof -




## Tin Roof




## U support & Mycro rail



- Solar Roof - Solar Mounting Solutions 4



## Tile Roof



ER-R-AE/XXXX
Aeri Rail

- Aeri Rai

- Splice for Aeri Rail

- Splice for Aeri Rail
- Self-drilling screw ST4.8\*16

- Inter Clamp
- Washer 8
- Aeri Omega Moudle
- Hexagon socket head cap screw M8\*30

5 Solar Mounting Solutions - SolarRoof -



1 V-EZII	AUK	Troduct
	ER-EC-AE/L50 End Clamp	- Omega End Clamp 30&35mm - Washer 8 - Aeri Omega Module - Hexagon socket head cap screw M8*20
	ER-IC-ST/L50 Inter Clamp, Length 50 mm	<ul><li>Inter clamp</li><li>Z Module</li><li>Washer 8</li><li>Hexagon socket head cap screw M8</li></ul>
	ER-EC-ST/L50 End Clamp 30&35, Length 50 mm	<ul> <li>End clamp</li> <li>Z Module</li> <li>Washer 8</li> <li>Hexagon socket head cap screw M8*28</li> </ul>
	EC-M28-46/L50 End Clamp 28-46mm, with M module	<ul> <li>Universal Clamp, Length 50mm, Anodised</li> <li>M Module 16.5*30.7mm</li> <li>Corrugated L-anchor Plate 3</li> <li>Button Head Torx Screws M8*35</li> <li>Lock washer 8</li> <li>Spring for Universal Clamp</li> </ul>
	IC-M28-46/L50 Inter Clamp 28-46mm, with M module	<ul> <li>Universal Clamp, Length 50mm, Anodised</li> <li>M Module 16.5*30.7mm</li> <li>Button Head Torx Screws M8*35</li> <li>Lock washer 8</li> <li>Spring for Universal Clamp</li> </ul>
B	ER-RC-AE Rail Clamp for Aeri Rail	<ul> <li>Rail Clamp for Aeri Rail</li> <li>Washer 8</li> <li>Hexagon socket head cap screw M8*25</li> <li>Plain washer 8</li> <li>Hexagon nut M8</li> </ul>
	ER-RC-AE/05 Rail Clamp for Aeri Rail without nut	<ul> <li>Rail Clamp for Aeri Rail</li> <li>Washer 8</li> <li>Hexagon socket head cap screw M8*20</li> </ul>



## ER-I-05/DU-6.3/70

Dual Tin Interface with Buildex Screw 6.3\*70mm

- Dual Tin Interface
- Rubber Pad 35\*50\*2
- Buildex 14-11 x 70 Hex Head Zips Climaseal 5 with 16 mm Aluminium Bonded Washer





#### ER-I-PRO/01/AE

Tile Interface for light to medium, with Rail Clamp for Aeri Rail

- Main Part of Roof Hook Pro H132
- Rail Clamp for Aeri Rail
- Buildex 14-11 x 70 Hex Head Zips Climaseal 5 with 16 mm Aluminium Bonded Washer
- Hexagon socket head cap screw M8\*25
- Hexagon nut M8
- Nut fixed
- Washer 8



#### ER-I-34

Brooklyn Klip-lok Clamp

- Main Hook of Brooklyn Klip-lok Clamp
- Side Hook of Brooklyn Klip-lok Clamp
- Plain washer 8
- Hexagon socket head cap screw M8\*25
- Hex Nut GB/T 6170-M8-8-tZn
- O rubber rings φ10\*1.9
- Washer 8
- Hexagon socket head cap screw M8\*80



#### **ER-I-31-SH**

Klip-lok Interface 400-700HS, L50\*45

- Main Hook for klip-lok interface 400-700HS, L50\*45, with slot hole
- Side Hook for klip-lok interface 400-700HS, L50
- Rubber Pad 65\*50\*2
- Hexagon socket head cap screw M8\*25
- Washer 8



#### ER-I-43

Klip-lok Interface for Angularity 25

- Main Hook for Aeri klip-lok interface for Angularity 25
- Side Hook for Aeri klip-lok interface for Angularity 25
- Hexagon socket head cap screw M8\*25
- Plain washer 8
- Washer 8
- Hexagon nut M8



#### **ER-I-44**

Klip-lok Interface for standing seam 8

- Main Hook for Aeri klip-lok interface for standing seam 8
- Side Hook for Aeri klip-lok interface for standing seam 8
- Hexagon nut M8
- Hexagon socket head cap screw M8\*25
- Washer 8
- Plain washer 8



#### ER-HB-MP/8/150/AE ER-HB-WP/10/200/AE

Hanger Bolt for metal purlin, M8x150, M10x200 with mounting plate for Aeri Rail

- Hanger Bolt for metal purlin M8\*150/ M10\*200
- Waterproof Gasket for Hanger bolt M8
- Hexagon nut with flange M8
- Mounting Plate T6\*116
- Rail Clamp for Aeri Rail
- Washer 8
- Hexagon socket head cap screw M8\*25
- Hexagon nut M8
- Nut fixed

7 Solar Mounting Solutions - SolarRoof -



	EZ-AD-C43 Adapter (Puck) for Corrugated Iron Roof	- Corrugated Tin feet base - Rubber Pad 55*43*2
	ER-S-U/SS5/25 U-Support	<ul><li>U Support</li><li>Rubber Pad for U Support</li><li>Self-drilling screw ST5.8*25</li></ul>
† † †	ER-R-MC/380 Mycro Rail	- Mycro Rail - Rubber Pad for U Support
	ER-S-U/M/120 U Support 120mm, with M-Module channel	– U Support 120mm, with M-Module channel – Rubber Pad for U Support
† † †	ER-R-MC/M/380  Mycro Rail 380mm, with M-Module channel	<ul> <li>Mycro Rail 380mm, with M-Module channel</li> <li>Rubber Pad for U Support</li> </ul>
	EZ-GC-ST  Grounding Clip, with Clenergy Logo	- Grounding Clip, with Clenergy logo
	EZ-GC-AE  Grounding Clip II for Aeri Rail	- Grounding Clip II for Aeri Rail
	GC-DT Grounding Clip for DT Rail	- Grounding Clip for DT Rail

- Solar Mounting Solutions 8